

Now  
available with  
EnduroShield  
easy-clean glass  
coating.

**Enduro  
Shield**

*New Zealand's leading supplier of quality*  
**frameless glass pool fencing & balustrade**

# scenik

invisibly superior

[www.scenik.co.nz](http://www.scenik.co.nz)

Compliant with:  
NZS8500, NZS4223:2016, AS/NZS2208:1996

Visit our  
website  
for the  
**online  
calculator**  
scenik



# scenik

invisibly superior



frameless pool fencing: **1200mm high**

## Scenik frameless glass pool fencing and balustrade

---

### CLEAR


Scenik frameless glass pool fencing and balustrade is invisibly superior – it's crystal clear without the green tint you get with inferior brands. Enjoy lounging by the pool or on the deck with nothing to interrupt your view. Relax behind a strong, effective wind barrier and take in all-day sunshine as Scenik casts no shadows!

### SAFE

With uninterrupted views, you'll always be able to keep your eye on the kids as they play in the pool. And with 12mm thick toughened safety glass with polished bevel edges, you'll know they'll also be safe and sound outside the fence. Our gates also use a self-closing hinge with a side pull latch, so you'll know they'll never be left open by mistake.

### VERSATILE

Scenik can be installed on a variety of surfaces, including tiled areas, pavers, timber decks, concrete and across landscaped areas – making it a truly versatile option for pools, water features, patios, decking, and natural settings. The modern architectural look can also be customised from our selection of elegant, corrosion-resistant, mini posts, latches and hinges to match your property.







frameless balustrade: **1000mm high**

## SIMPLE

It's so simple to clean and maintain – with no frames to collect water and dust, and with corrosion-resistant hardware throughout, it will remain sparkling with minimum effort.

It's also simple to install – most home owners would find the system quick and easy to install using basic tools that they would have in their shed (although if going into concrete you will require the use of a dyna drill). You'll find full installation instructions on our website: [www.scenik.co.nz](http://www.scenik.co.nz)

If you'd rather get someone else to install it, we have a list of preferred installers throughout NZ that have the ability and equipment to install your frameless glass for you. Call us on 0800 235 2473 and we will put you in touch with an installer in your area.

## EASY-CLEAN COATING




Upgrade our standard toughened safety glass with EnduroShield, an invisible, non-stick coating that reduces cleaning time by up to 90%.

By filling in the minute cavities present in standard glass, EnduroShield creates a super-smooth surface that grime and lime find it hard to adhere to. Your pool glass stays cleaner for longer, and it's a breeze to rinse down.

Choose to upgrade to EnduroShield-coated glass when you order on-line, or just talk with one of our friendly sales representatives.



## Independently load tested



## Compliant


Scenik glass is Grade A toughened glass and has a PAS Mark on every panel. A producer statement (PS1) is available on request for your pool or building permit compliance.

## Interlinking handrails


You will only require a handrail on your balustrade or pool fencing if there is a drop of more than 1m on one side. Scenik slimline handrails are manufactured from polished stainless steel to create a sophisticated finish that does not diminish the appearance of your glass fencing. **They are also very strong and fully compliant to NZS4223:2016.**




## Example configuration




## Easy installation




**STEP 1**  
Mark line of fence.




**STEP 2**  
Fix posts into position.



**STEP 3**  
Install cover plates and slide in glass.



**STEP 4**  
Tighten the grub screws.



**STEP 5**  
Finished fence.



# POOL FENCING PANELS

All panels are 1200mm HIGH and 12mm THICK glass (except gate panel)

## GLASS INFILL PANELS (width/order code)

300mm/SCE0312PP	1150mm/SCE11512PP
400mm/SCE0412PP	1200mm/SCE1212PP
500mm/SCE0512PP	1250mm/SCE12512PP
600mm/SCE0612PP	1300mm/SCE1312PP
700mm/SCE0712PP	1350mm/SCE13512PP
800mm/SCE0812PP	1400mm/SCE1412PP
900mm/SCE0912PP	1450mm/SCE14512PP
1000mm/SCE1012PP	1500mm/SCE1512PP
1050mm/SCE10512PP	1550mm/SCE15512PP
1100mm/SCE1112PP	1600mm/SCE1612PP

## GLASS GATE PANEL (width/order code)

800mm wide x 1200mm high x  
8mm thick glass/SCE0812GP  
900mm wide x 1200mm high x  
10mm thick glass/SCE0912GP

## GLASS HINGE PANELS (width/order code)

500mm/SCE0512GHP  
900mm/SCE0912GHP  
1300mm/SCE1312GHP  
1450mm/SCE14512GHP  
1600mm/SCE1612GHP

# BALUSTRADE PANELS

All panels are  
1000mm HIGH and  
12mm THICK glass


## (width/order code)

600mm/SCE0610BP  
700mm/SCE0710BP  
800mm/SCE0810BP  
850mm/SCE08510BP  
900mm/SCE0910BP  
950mm/SCE09510BP  
1000mm/SCE1010BP  
1050mm/SCE10510BP  
1100mm/SCE1110BP  
1150mm/SCE11510BP  
1200mm/SCE1210BP  
1250mm/SCE12510BP  
1300mm/SCE1310BP  
1350mm/SCE13510BP  
1400mm/SCE1410BP

## GENERAL FEATURES

12mm toughened safety glass  
New Zealand standards compliant  
20 year warranty  
DIY instructions included

**AS/NZS2208**  
New Zealand standards for  
safety glass manufacturing  
**F4 and F9 Compliant**  
All glass is both F4 and F9  
Building Code compliant.



Hardware – for our full range, please request a catalogue.



**Tekapo Spigot**  
Base plated:  
Polish: SCEPSSP  
Black: SCEPSSP-B



**Milford Spigot**  
Base plated:  
Polish: SCEPSOP  
Black: SCEPSOP-B



**Kaweka Spigot**  
Side mounted:  
Polish: SCESMS  
Black: SCESMS-B



**Aoraki Spigot**  
Face mounted:  
Polish: SCEFMS  
Black: SCEFMS-B



Standard,  
pool-safe,  
latch set:  
SCEGL




High-performance,  
pool-safe, stainless  
steel, duplex latch set:  
SCEHGL



High-performance,  
pool-safe, stainless  
steel, duplex hinge:  
Polish: SCEPHPS  
Black: SCEPHPS-B



**NEW**  
Hydraulic  
softer-close hinge:  
SCEHYGG




Handrail  
5.8m Polish: SCEHR5.8  
5.8m Black: SCEHR5.8-B  
2.9m Polish: SCEHR2.9  
2.9m Black: SCEHR2.9-B



Range of glass  
clamps

DIY installation – tools required

Download full installation instructions  
from our website: [www.scenik.co.nz](http://www.scenik.co.nz)



Tape measure  
Allen keys



Drill  
String line



Spanner  
Spirit level





Visit [www.scenik.co.nz](http://www.scenik.co.nz) to find your nearest retailer, or email us at [info@scenik.co.nz](mailto:info@scenik.co.nz) for any other enquiries.

SUPPLIED BY  
**storetech** INDUSTRIES LTD  
Better outdoor spaces



**scenik**  
invisibly superior